

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	125	offset adj4 diode with laser	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 08:52
L2	46	offset adj2 diode with laser	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 08:52
L3	235	parallel adj2 diode with laser	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 08:35
L4	56	bridg\$3 adj circuit with laser	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 08:52
L5	0	4 with bias\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 08:52
L6	54	(bias\$3 or voltage) with(offset adj2 diode or bridg\$3)with laser	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 09:01
L7	4	(bias\$3 with (current or voltage)) with(offset adj2 diode or bridg\$3)with laser	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 09:03
L8	9	(bias\$3 with (current or voltage)) with(offset adj2 diode or bridg\$3)same laser	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 09:08
L9	1284	threshold adj current with diode	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 09:40
L10	21306	voltage with (transform\$4 or offset\$3)with (diode or bridge)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 09:10
L11	28860	voltage with (transform\$4 or offset\$3)with (diode or bridge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:11
L12	10072	voltage with (transform\$4 or offset\$3)with (parallel adj diode or bridge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:11

EAST Search History

L13	10211	voltage with (transform\$4 or offset\$3)with (parallel adj2 diode or bridge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:26
L14	33	13 same laser	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:11
L15	183	voltage adj3(offset\$3)with (parallel adj2 diode or bridge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:27
L16	33	voltage adj3(offset\$3)adj4 (parallel adj2 diode or bridge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:32
L17	1	voltage adj3(offset\$3)adj4 (offset adj2 diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:33
L18	84	voltage adj3(offset\$3)with(offset adj2 diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:33
L19	6	voltage adj3(offset\$3)with(offset adj2 diode)with ("2" or two adj3 circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:34

EAST Search History

L20	33	voltage adj3(offset\$3)with(offset adj2 diode)with (circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:38
L21	2	voltage adj3(offset\$3)with(offset adj2 diode)with (circuit)with (high\$2 or rais\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:39
L22	1	9 and 18	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 09:40
L23	1	9 and 15	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 09:41
L24	1	9 and 20	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 10:52
L25	16	(US-20020139998-\$).did. or (US-3634849-\$ or US-4061986-\$ or US-4832433-\$ or US-6304356-\$ or US-6310901-\$ or US-5269778-\$ or US-4430738-\$ or US-4437146-\$ or US-6466083-\$ or US-5162754-\$).did. or (US-3549982-\$).did. or (JP-20000004059-\$ or JP-04068583-\$). did. or (JP-09163746-\$ or JP-04046572-\$).did.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:17
L26	0	25 and diode adj5 thransistor	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:18
L27	4	25 and diode adj5 transistor	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:26
L28	14	transistor same diode same drain adj parallel	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:28

EAST Search History

L29	725	transistor same drain adj2 common same common adj3 source	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:30
L30	1	29 and offset adj5 diode	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:30
L31	2481	drain adj4 common same common adj3 source	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:30
L32	2	31 and offset adj5 diode	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:31
L33	371	31 and offset	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:31
L34	120	31 and offset adj4 volt\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:32
L35	13	31 same offset adj4 volt\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/06 10:33
L36	220	gate adj finger with transistor	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 10:55
L37	0	36 same diode with drain with source with connect\$3 adj3 together	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 10:54
L38	1	36 with drain with source with connect\$3 adj3 together	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 10:55
L39	4139	drain with source with connect\$3 adj3 together	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 10:55

EAST Search History

L40	4	gate adj finger same 39	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 10:55
S1	1	"5880640".pn.	US-PGPUB; USPAT	OR	ON	2006/09/06 11:27
S2	10	("4668920" "4772858" "4973918" "5021743").PN. OR ("5880640").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 14:52
S3	6175	voltage adj4 offset adj4 voltage	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 14:52
S4	0	S2 and S3	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 14:52
S5	153	voltage adj4 offset adj4 diode	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 15:09
S6	79	S3 and S5	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 14:54
S7	0	S2 and S5	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 14:53
S8	993	offset adj4 diode	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/06 08:33
S9	79	S8 with capacitor	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 15:13
S10	231	replac\$4 with coupling adj capacit\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 15:13
S11	2	offset\$4 with S10	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 15:14
S12	2	offset\$4 with S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 15:14